



FOUNDATION NOTE:

1. WHERE GROUND LEVEL TO FOUNDATION FORMATION LEVEL IS MORE THAN 1.5m, RAFT SLAB FOUNDATION TO BE FOUNDED ON A POLYTHENE SHEET ON 50mm T3 BLINDING ON 225mm TZ PERM ON BLACK BOULDER CLAY.

2. WHERE GROUND LEVEL TO FOUNDATION FORMATION LEVEL IS LESS THAN 1.5m, RAFT SLAB FOUNDATION TO BE FOUNDED ON A POLYTHENE SHEET ON 50mm T3 BLINDING ON 225mm T2 PERM ON 500mm T0 STRUC MATERIAL ON BLACK BOULDER CLAY.

© PUNCH Consulting Engineers
This drawing and any design hereon is the copyright of the Consultants and must not be reproduced without their written consent.
All drawings remain the property of the Consultants.
Figured dimension only to be taken from this drawing.
Consultants to be informed immediately of any discrepancies before work proceeds.

Rev	Amendment	By	Date	Rev	Amendment	By	Date
P01	ISSUED FOR INFORMATION	VB	XX.06.2024				

Client:
EW Property Limited

Dublin | Limerick | Cork | Galway | Glasgow
Carnegie House Library Road,
Dun Laoghaire, Co. Dublin, A96 C7W7
t +353 1 271 2200 | w punchconsulting.com

Project: HARTFIELD PLACE			
Title: BASEMENT FOUNDATION LAYOUT			
Drawn: V BWALYA	Date drawn: 26/06/24	Technical Check: D CLARKE	Engineer Check: R HORN
Project No: 202122	Model Ref: HARTPL-PUNCH-ZZ-ZZ-M3-S-0002	Drawing Status: S1	
Scale @ A1: As indicated	Document No: HARTPL-PUNCH-XX-ZZ-DR-S-2010	Revision No: P01	